

FIGURE 1




FIGURE 2a




FIGURE 2b




FIGURE 3

Objectifier	
<pre> + TRACER_NAME : String = new String ("Objectifier") - our CurrentlyExecutingUserName = String - DEBUG : MxTracer = new MxTracer (TRACER_NAME) - ourObjectifierInitializedFlag : boolean = False - OBJECTIFIER_DEBUG_FILENAME : String = "objectifier" - ourDebugPath : String - ourStream : FileOutputStream - our PW : PrintWriter - our MxProps : MxProperties = null - our SMlfc : MxSessionManagerlfc = null </pre>	<p>80</p> <p>82</p>
<pre> + initObjectifier () : void + exitObjectifier () : void + runTool(MxRunnableTool runnableToolObject) : SString +addTool(MxTool toolObject): void +addNode(MxNode nodeObject): void +addUser(MxUser userObject): void +addNodeGroup(MxNodeGroup nodeGroupObject): void +modifyTool(MxTool toolObject): void +modifyUser(MxUser userObject): void +modifyNodeGroup(MxNodeGroup nodeGroupObject): void +modifyRole(MxRole roleObject): void +deletTool(String toolName): void +deleteNode(String nodeName): void +deleteUser(String userName): void +deleteAuthorization(MxAuthorization authorizationObject): void +deleteNodeGroup(String nodeGroupName): void +getTool() : MxTool +getTool(String toolName) : MxTool +getNode() : MxNode +getNode(String nodeName) : MxNode +getUser() : MxUser +getUser(String userName) : MxUser +getNodeGroup() : MxNodeGroup +getNodeGroup(String nodeGroupName) : MxNodeGroup +getRole(String roleName) : MxRole +getAuthorization() : MxAuthorization +getNodeNames() : String [] +getToolNames() : String [] +getNodeNames() : String [] +getUserNames() : String [] +getNodeGroupNames() : [] </pre>	<p>84</p>

FIGURE 4




FIGURE 5




FIGURE 6